



trucell  
aluminium open cell ceiling



### System Description

Trucell is a range of aluminium open cell ceiling panels that are designed to lay onto 15mm Tee Grid. Access is gained by simply lifting the panels out of the grid.

Trucell blends in with the Tee Grid to give a monolithic appearance.

### System Features

- Strong modular appearance
- Easy access to the ceiling void
- Minimum 25-year product life expectancy

### Access

Modules can be lifted out of the ceiling system to gain access to the ceiling void.

### Standard Module Sizes (mm)

Trucell Panels are available in 600 x 600mm modules with a nominal depth of 40mm. Modules are available in six different cell sizes of:

50 x 50	100 x 100	200 x 200
75 x 75	120 x 120	
86 x 86	150 x 150	

(Measured at centres of 'U' shape profiles)

Custom size modules and tiles are available, subject to the size being divisible by the available cell sizes.

### Finish

Standard colours are white and silver grey. Other colours available, with a minimum cell size of 75 x 75mm. See page 36 for a full range of paint finish options.

### Grid System

Lay-in Tee Grid, see page 146 for components. For suspension using other grids please contact SAS Technical department.

### Shape

Modules are square with out-turned edges to lay onto the flanges of the exposed grid system.

### Weight

Approximately 4.5kg/m<sup>2</sup> for Trucell panels and suspension system.


### Trucell Construction

The panels are manufactured from lightweight pre-coated aluminium folded into U shape profiles with a nominal cell wall thickness of 15mm to give a precise engineered ceiling appearance.

### Integration and Lighting

Trucell allows fire detection and control systems, air conditioning and other services to be located within the ceiling void.

Decorative luminaires can be installed within single or multiple adjacent cells depending on luminaire and cell size being used.











SAS International, 31 Suttons Business Park, London Road, Reading, Berkshire RG6 1AZ, United Kingdom

Tel: +44 (0)118 929 0900 Fax: +44 (0)118 929 0901 [www.sasint.co.uk](http://www.sasint.co.uk)

SAS International, Unit 228 Block C, Blanchardstown Corporate Park, Dublin 15, Ireland

Tel: +353 (0) 1899 1134 Fax: +353 (0) 1899 1753

All Information and details in this brochure are correct at time of going to press. Published by SAS International. All rights reserved. Copyright © 2008  
Printed using vegetable based inks on FSC certified paper. The printer holds the environmental standard ISO 14001